

SPECIFI	CATION		
SUMIDA TYPE	CDRH125	PART NO.	REF. TO THE ATTACHED SHEET.




* DIMENSION WITHOUT TOLERANCE ARE APPROX.

2. CONNECTION (BOTTOM)



3. STAMP (Ex.)



DIRECTLY STAMP UNFIXED THE POSITION

4. NOTE

- *PLEASE DO NOT USE A WASHING AGENT.
- *ENCLOSING CONDITION OF COILS.



- *CARRIER TAPE PACKING SPECIFICATION IN DETAIL.(S-074-500)
- *RECOMMENDED REFLOW CONDITION TO BE ACCORDING TO S-074-5003.

6 th DEC . , 1996		SUMIDA CODE	4735				
снк.	С Н К.	DRG.			DRG.	NO.	2/5
	NISHI					S - 074 - 542	
O.SATO	MURA	MONMA				0 014 042	
		М					

1. OPERATIONG TEMPERATURE : $-25 \sim +80$ °C (COIL CONTAIN HEAT)

2. EXTERNAL APPEARANCE: ON VISUAL INSPECTION, THE COIL HAS NO EXTERNAL

DEFECTS.

3. ELECTRODE STRENGTH \(\Delta \): AFTER SOLDERING, BETWEEN

COPPER PLATE AND ELECTRODE

OF COIL, PUSH IN TWO DIRECTIONS

OF X,Y WITHSTANDING

5.0N(0.51kgf)FOR 10±2 SECONDS. ELECTRODE SHOULD NOT PEEL OFF.

(REFER TO FIGURE AT RIGHT)

4. HEAT ENDURANCE TEST: REFER TO S-074-5002.

5. DIELECTRIC STRENGTH : NO APPARENT AT 100V D.C. FOR 1 MINUTE BETWEEN

COIL-CORE.

6. INSULATING RESISTANCE : OVER 100 M Ω AT 100V D.C. BETWEEN COIL-CORE.

7. INDUCTANCE TEMPERATURE COEFFICIENT : $(0 \sim 2000) \times 10^{-6}$ °C $(-25 \sim +80$ °C)

8. HUMIDITY TEST : INDUCTANCE DEVIATION WITHIN \pm 5.0 % AFTER 96

HOURS IN 90 \sim 95 % RELATIVE HUMIDITY AT 40 \pm 2 °C AND 1 HOUR DRYING UNDER NORMAL CONDITION.

9. VIBRATION TEST : INDUCTANCE DEVIATION WITHIN ± 3.0 % AFTER

VIBRATION FOR 1 HOUR.

IN EACH OF THREE ORIENTATIONS AT SWEEP

VIBRATION (10~55~10 Hz) WITH 1.5 mm P-P

AMPLITUDE.

10. SHOCK TEST : INDUCTANCE DEVIATION WITHIN ± 3.0 % AFTER DROP

DOWN WITH 981m/s²(100G) SHOCK ATTITUDE UPON A RUBBER BLOCK METHOD SHOCK TESTING MACHINE,

FOR 1 TIME, IN EACH OF THREE ORIENTATIONS.

6 th DEC., 1996

снк.	снк.	DRG.	DRG. NO.	
	NISHI		8-0	74 - 542
O.SATO	MURA	MONMA		71 012
		М		

TYPE

SPECIFICATION

CDRH125

ELECTRICAL CHARACTERISTICS

NO.	PART NO.	STAMP	INDUCT [WTH **	HIN]	D.C.R. (Ω) [MAX.] (at 20°C) (TYPICAL BALUE)	RATED CURREN T (A) * 2	SUMIDA CODE
01	CDRH125 – 1R3NC	1R3	1.3 μH	+ 30 % - 20 %	12 m (9 m)	8.00	-1062
02	CDRH125 – 2R1NC	2R1	2.1 μH	$^+$ 30 % $^-$ 20 %	14 m (11 m)	7.00	-1073
03	CDRH125 – 3R1NC	3R1	3.1 μH	$^{+}$ 30 % $^{-}$ 20 %	17 m (13 m)	6.00	-1084
04	CDRH125 – 4R4NC	4R4	4.4 μH	$^+$ 30 % $^-$ 20 %	20 m (16 m)	5.00	-1095
05	CDRH125 – 5R8NC	5R8	5.8 μH	+ 30 % - 20 %	21 m (17 m)	4.40	-1106
06	CDRH125 - 7R5NC	7R5	7.5 μH	$^{+}$ 30 % $^{-}$ 20 %	24 m (19 m)	4.20	-1117


* 1: INDUCTANCE(L) MEASURED AT A FREQUENCY OF at 7.96 MHz.

% 2:THIS INDICATES THE VALUE OF CURRENT WHEN THE INDUCTANCE IS 75% MORE THAN IT'S NOMINAL VALUE AND TEMPERATURE RISING $\triangle t = 40$ °C LOWER AT D. C. SUPERPOSITION. (Ta = 20 °C)

6 th DEC . , 1996			996	SUMIDA CODE	4735		
	снк.	СНК.	DRG.			DEG NO.	4/5
	O.SATO	NISHI MURA	MONMA			S - 074 - 542	
			м				

CDRH125

DIMENSION RECOMMENDED (mm)



PLEASE COAT WITH SILK BETWEEN ELECTRODE. A

6 th DEC . , 1996

снк.	С Н К.	DRG.	DRG.	NO.	5/5
	NISHI			S - 074 - 542	
O.SATO	MURA	MONMA		D 011 012	
		М			