

PRODUCT: Electromagnetic Buzzer

EDITION: A/2017



THIS SPECIFICATION APPLIES TO THE ELECTROMAGNETIC BUZZER

SPECIFICATION

item	unit	specification	condition
oscillation frequency	Hz	2048	Vo-p=1/2 duty, square wave
operating voltage	Vo-p	1.0 ~ 3.0	
rated voltage	Vo-p	1.5	
current consumption	mA	30	At rated voltage
sound pressure level	dB	75	At 10cm at rated voltage
coil resistance	Ω	16 ± 4	
operating temperature	°C	-20 ~ +60	
storage temperature	°C	-20 ~ +70	
dimension	mm	φ12.0 × H5.4	See attached drawing
weight (max)	gram	2.0	
housing material		PPO	
leading pin		Tin plated brass(Sn)	See attached drawing
environmental protection		RoHS	
regulation			

RELIABILITY TEST

item	test condition and requirement	
high temperature	After being placed in a chamber with 80±2°C for 96 hours and then being	
test (storage)	placed in normal condition for 2 hours.	
	Allowable variation of SPL after test: ± 10 dB.	
low temperature	After being placed in a chamber with -30±2°C for 96 hours and then being	
test (storage)	placed in normal condition for 2 hours.	
	Allowable variation of SPL after test: ± 10 dB.	
humidity test	After being placed in a chamber with 90 ~ 95% R.H. at 40±2℃ for 96 hours and	
	then being placed in normal condition for 2 hours.	
	Allowable variation of SPL after test: ± 10 dB.	
temperature cycle test	The part will be subjected to 5 cycles. One cycle shall be consist of:	

-25°C +25°C

0.5

3hours

-70°C

0.5

Allowable variation of SPL after test: 10dB.

0.5

0.5hr



PRODUCT: Electromagnetic Buzzer

EDITION: A/2017

Soberton Inc.

RELIABILITY TEST (CONTINUED)


item	test condition and requirement		
drop test	Drop on a hard wood board of 4cm thick, any directions , 6 times,		
	at the height of 75 cm .		
	Allowable variation of SPL after test: ±10dB		
vibration test	After being applied vibration of amplitude of 1.5mm with 10 to 55 Hz		
	band of vibration frequency to each of 3 perpendicular directions for 2 hours .		
	Allowable variation of SPL after test: ±10dB.		
solderability test	Lead terminals are immersed in rosin for 5 seconds and then immersed in		
	solder bath of $+300\pm5$ °C for 3 ± 1 seconds .		
	90% min. lead terminals will be wet with solder		
	(Except the edge of terminals).		
terminal strength	The force of 9.8N(1.0kg) is applied to each terminal in axial direction for 10 seconds.		
pulling test	No visible damage and cutting off.		
EST CONDITION			
tandard Test Condition: a)	Temperature : +5 ~ +35℃ b) Humidity : 45 ~ 85% c) Pressure : 860 ~ 1060mbar		

TESTING METHOD


Standard Measurement conditions: Temperature: 25±2°C Humidity: 45 ~ 65%

ACOUSTIC CHARACTERISTICS:

The oscillation frequency, current consumption and sound pressure are measured by the measuring instruments shown below:



In the measuring test, buzzer is placed as follows:






PRODUCT: Electromagnetic Buzzer

EDITION: A/2017

Soberton Inc.

TYPICAL FREQUENCY RESPONSE CURVE









PRODUCT: Electromagnetic Buzzer


EDITION: A/2017

DIMENSIONS





2-200.6±0.05



no	components	material	quantity
1	Cover	PPO	1
2	Diaphragm	Iron	1
3	Base	PPO	1
4	Magnet	NdFeB	1
5	Coil	Copper	1
6	Core	Iron	1
7	PCB	Epoxy glass fiber cloth + copper	1
8	PIN	Copper	2



PRODUCT: Electromagnetic Buzzer

EDITION: A/2017

Soberton Inc.

PACKING

