

## Label - US-EML (20X8) - 0800458

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://download.phoenixcontact.com)

Label, Card, white, Unlabeled, Can be labeled with: Thermomark C, Mounting type: Adhesive, Lettering field:  $20\ \text{mm}\ \text{x}\ 8\ \text{mm}$ 



#### Why buy this product

- ☐ The UC-EMLC ... labels can be peeled off and stuck back on without disintegrating
- The perforated markers and labels are easy to separate and can be easily fitted
- When used in conjunction with high-quality ink ribbons, they result in a highly resistant form of labeling that is suitable for harsh environments

- ☑ Low restoring forces mean that the labels can even be stuck onto uneven surfaces and edges.

## Key commercial data

Packing unit	0
Minimum order quantity	10
Catalog page	Page 211 (CL2-2011)
GTIN	4 046356 606325
Custom tariff number	39199000
Country of origin	GERMANY

#### Technical data

#### General

Length (b)	20 mm
Width (a)	8 mm
Color	white
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C 150 °C
Components	free from silicone and halogen
Material	Polyester
Number of individual labels	64



# Label - US-EML (20X8) - 0800458

## Technical data

#### General

Number of individual labels per row	4	

## Classifications

## eclass

eCl@ss 4.0	24190218
eCl@ss 4.1	24190218
eCl@ss 5.0	27141137
eCl@ss 5.1	27141137
eCl@ss 6.0	27141137
eCl@ss 7.0	27141137

#### etim

ETIM 2.0	EC000761
ETIM 3.0	EC000761
ETIM 4.0	EC000761

#### unspsc

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	39121410

#### Accessories

## Accessories

Magazine - THERMOMARK CARD-US-MAG1 - 5146451



Magazine for the THERMOMARK CARD printer, for accommodating US cards

© Phoenix Contact 2012 - all rights reserved http://www.phoenixcontact.com