

595-15600

# HellermannTyton

Article Number: 595-15600

Description: Dot Matrix Label, 1.0" x .50", 7 Across, Metalized Polyester, Silver, 5000/pkg



Base Data	
Local Order Number	TAG15-600
Type	TAG15
Color	Silver (SR)
Features and benefits	<ul style="list-style-type: none"> <li>• Tabtag Dot Matrix labels are specifically made for use in dot matrix printers for fast and easy printing.</li> <li>• Labels come with a pin-feed margin to ensure that they can easily be loaded into any dot matrix printing system.</li> </ul>
Quantity Per	pack
Product Description	Used with dot matrix printers, HellermannTyton TabTags can be used for virtually any labeling application. Unless noted, TabTags are mounted on pinfed, fan-folded sheets for use with computers, word processors, or typewriters. Manufactured in a wide range of standard sizes and materials, the dot matrix printable TabTags can meet a wide variety of labeling requirements.
Short Description	Dot Matrix Label, 1.0" x .50", 7 Across, Metalized Polyester, Silver, 5000/pkg
Product Dimensions	
Length L (Imperial)	0.5"
Length L (Metric)	12.7mm
Width W (Imperial)	1.0"
Width W (Metric)	25.4mm
Height H (Imperial)	0.5"
Height H (Metric)	12.7mm
Height of printable area (metric)	12.70mm
Horizontal Repeat HR (metric)	27.94mm
Horizontal Repeat HR (imperial)	1.100"
Print Method	Dot-Matrix
Vertical Repeat VR (metric)	16.94mm
Vertical Repeat VR (imperial)	0.667"
Width of Liner WL (metric)	218.40mm

595-15600

# HellermannTyton

Product Dimensions	Width of Liner WL (imperial)	8.6"
Material and Specifications		
	Material	Type 600, Polyester, silver-matt (SR)
	Material Shortcut	600
	Adhesive	Acrylic
	Adhesive Operating Temperature	-40°F to +302°F (-40°C to +150°C)
	Halogenfree	No
	Minimum Application Temperature	from +50°F (from +10°C)
	Operating Temperature	-40°F to +302°F (-40°C to +150°C)
	ROHS Compliant	Yes
Certification/Specification	UL-Recognized	
Logistic and Packaging		
	Package Quantity (Imperial)	5000
	Package Quantity (Metric)	5000
	Customs Number(Schedule B)	3919905060
	Labels per Row	7
	Weight (Metric)	0.11kg