Cable Spacer Cross

- Connects two bundles at 90°
- · Separates bundles to prevent abrasion





Part Number	Used with Cable Ties‡	Material	Color	Environment	Mounting Method	Std. Pkg. Qty.	Std. Ctn. Qty.
CSCS-M	M, I, S	Nylon 6.6	Natural	Indoors	Cable Ties	1000	10000

Cable tie cross section sizes: M = Miniature, I = Intermediate, and S = Standard.

Stackable Aerial Cable Spacer

- Greater resistance to damage caused by ultraviolet light indoor or outdoor use
- \bullet Each spacer snaps into another to increase spacer heights by $1/2^{\shortparallel}$ increments
- Designed for use in parallel or perpendicular applications

• Dual cradle design stabilizes cable bundle

 For use with Dura-Ty[™] Cable Ties shown on page B1.53 or Pan-Steel[®] Self-Locking Ties on page B3.5, B3.6, B3.7.







Part Number	Used with Cable Ties‡	Material	Color	Environment	Mounting Method	Std. Pkg. Qty.	Std. Ctn. Qty.	
SACS50-T100	LH, H, EH	Weather Resistant Polypropylene	Black	Outdoors	Cable Ties	200	2000	

*Cable tie cross sizes: LH = Light-Heavy, H = Heavy, and EH = Extra-Heavy.

Steel Ties C1. Wiring Duct

A. System Overview

B1.

Cable Ties

B2. Cable Accessories

> B3. Stainless

C2. Surface Raceway

C3. Abrasion Protection

C4. Cable Management

D1. Terminals

D2. Power Connectors

D3. Grounding Connectors

> E1. Labeling Systems

E2.

Labels

E3. Pre-Printed & Write-On Markers

E4. Permanent

Identification E5.

Lockout/ Tagout & Safety Solutions

> F. Index