



Pitch, Unguided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551105  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551106  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551107  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551108  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551113  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551114  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551115  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551116  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551117  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551118  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated

Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551123  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551124  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551125  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551126  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551127  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551128  
4 Pair Vertical

Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Dual Endwall, 10  
Columns, 120

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551133  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 120

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551134  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 120

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551135  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 120

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761551136  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 120

Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761551137  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Unguided,  
Right Endwall,  
10 Columns, 120

Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

Impact™ 100 Ohm	0761551138
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Unguided, Right Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761553103
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761553104
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761553105
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 5.50mm, Plated Through Hole Dimension 0.46mm, Lead-Free	
Impact™ 100 Ohm	0761553106
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guided, Open Endwall, 10 Columns, 120 Circuits, Pin Length 4.50mm, Plated Through Hole Dimension 0.39mm, Lead-Free	
Impact™ 100 Ohm	0761553107
4 Pair Vertical Backplane Header, 1.90 by 1.35mm Pitch, Left Guided,	

Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761553108  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761555103  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761555104  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761555105  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761555106  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole

Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761555107  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761555108  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Open Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761557103  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761557104  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761557105  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761557106  
4 Pair Vertical  
Backplane Header,

1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761557107  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761557108  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free  
Impact™ 100 Ohm 0761557118  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Left Guided,  
Right Endwall,  
10 Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm ,  
Key Orientation A,  
Lead-Free  
Impact™ 100 Ohm 0761558104  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761558105  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120

Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761558108  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Tin (Sn) Lead (Pb)  
Impact™ 100 Ohm 0761559103  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761559104  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.90mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761559105  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
5.50mm, Plated  
Through Hole  
Dimension 0.46mm,  
Lead-Free  
Impact™ 100 Ohm 0761559106  
4 Pair Vertical  
Backplane Header,  
1.90 by 1.35mm  
Pitch, Right Guided,  
Left Endwall, 10  
Columns, 120  
Circuits, Pin Length  
4.50mm, Plated  
Through Hole  
Dimension 0.39mm,  
Lead-Free

This document was generated on 03/08/2013

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**