





- I. MATERIALS:
 HANDLE THERMOPLASTIC, BLACK
 TERMINALS COPPER ALLOY, TIN PLATED
 SCREWS STEEL, NICKEL PLATED
 PLATE STEEL, NICKEL PLATED
 TIP ,RING & SLEEVE COPPER ALLOY, NICKEL PLATED
 INSULATORS MYLAR, PHENOLIC & THERMOPLASTIC
- 2. THIS PRODUCT IS ROHS COMPLIANT.

NOTES:

CUSTOMER DRAWING

| | | | | | STAR SYMBOL DENOTES CRITICAL DIMENSION | THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY. | | | | | | | |
|-----|------------|---------|----|------|--|--|----|-------------|------------------------|------------|---------|--------|------|
| | | | | | UNLESS OTHERWISE SPECIFIED | SIZE | W | IDTH MULT | | | LBS/M | TEMPER | |
| | | | | |] I. ALL DIMENSIONS IN INCHES -TWO PLACE DECIMALS ±0.01 | FINISH | | | | MATERIAL | | | |
| | | | | | -THREE PLACE DECIMALS ±0.005 -ANGLES +1° | SPEC No. | | | | SPEC No. | | | |
| | | | | | -ANGLES ±1 -ALL DIA. CONCENTRIC WITHIN 0.005 T.I.R. | FIRST USED ON SCALE 2:1 | | | SCALE | | | | |
| | | | | | | | | | 2:1 | Q | | | ∖ല~® |
| | | | | | 12. FEATURES ON THE SAME CENTERLINE MUST BE ALIGNED WITHIN ±0.002 | DATE DRAWN | ВҮ | CHKD | APVD | 504 | yilgh | | טטט |
| D | 20627 | 4-24-96 | TO | TJK | 3. REMOVE ALL BURRS | 12 - Jan - 11 | TO | TO - 3- | T J K I - I 3 - I I | | SHEET | OF I | |
| REV | ECO NUMBER | DATE | ВҮ | APVD | | NAME FLAT PLUG, 0.206 DIA, | | | D I A | PART No | | | REV |
| | REVISIONS | | | | DO NOT SCALE DRAWING | 3-CONDUCTOR, SCREW TERMINALS | | | | | S 2 3 0 | | |

