

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



EVO connector set, A10 series, plastic housing, consisting of: sleeve housing 1411340, panel mounting base 1411337, EVO screw connection 1411350, pin contact insert 1773051, socket contact insert 11773077



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	300.0 g
Custom tariff number	85366990
Country of origin	Germany

### Technical data

#### General

Number of positions	10+PE		
Туре	D15		
Degree of protection for housing	IP66		
	IP69K		
	4 (UL50e / NEMA 250)		
	4X (UL50e / NEMA 250)		
	12 (UL50e / NEMA 250)		

#### Standards and Regulations

Flammability rating according to UL 94	V0



Articles in set

Housing - HC-EVO-D15-HHFS-PL-BK - 1411340



HEAVYCON EVO sleeve housing, plastic, with bayonet flange for EVO screw connection, D15 series, for single locking latch, height: 65.5 mm, without EVO screw connection

Housing - HC-EVO-D15-BWSC-PLR-BK - 1411337



HEAVYCON EVO panel mounting base, plastic, D15, with single locking latch, with flat gasket, with protective cover

Cable gland - HC-D-G-M20-PLRBK - 1411350



EVO plastic cable gland with bayonet locking, for housing series D, size M20, cable diameter: 7 - 13 mm.

Contact insert - HC-A10-I-UT-M - 1585294



HEAVYCON male insert, A10 series, 10-pos., screw connection

Contact insert - HC-A10-I-UT-F - 1585304



HEAVYCON female insert, A10 series, 10-pos., screw connection

03/21/2016 Page 2 / 4



### Classifications

#### eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27260705
eCl@ss 8.0	27440101

#### ETIM

ETIM 4.0	EC002641
ETIM 5.0	EC002636

## Approvals

#### Approvals

#### Approvals

EAC

#### Ex Approvals

Approvals submitted

#### Approval details

EAC

#### Drawings

### Dimensional

drawing

Panel cutout

Schematic	diagram
-----------	---------

		6		
6 • • 1		10	09	
7 • • 2		20	07	
8 • • 3		30	08	
9 • • 4		40	09	
10 • 5		50	O 10	
	)			

Pin assignment, connection side, pin left, socket right



Dimensional drawing



Dimensional drawing



Derating diagram

Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com