

2

3

00-9159-00X-50I-X06

PREFIX———

SERIES-

NO. OF WAYS_____

CODE	NO. OF WAY	'S DETAILS
002	2	SHEET 2
003	3	SHEET 3
004	4	SHEET 4
005	5	SHEET 5
006	6	SHEET 6

Elco Europe (A Division of AVX Ltd) CONFIDENTIAL PROPRIETY
The document on this print and information therewith are PROPRIETY
to Elco Europe (A Division of AVX Ltd) and shall not be copied
or disclosed in whole or in part without Elco Euroipe's written consent.

SINGLE PART PCB STRIP CONNECTOR -

CODE	DESRCRIPTION	DETAILS		
501	THROUGH THE BOARD - EDGE CARD - NO CAP	SHEETS 2 TO 6		
502	THROUGH THE BOARD - EDGE CARD - CAP FITTED	SHEET 7		

INSULATOR COLOUR ----

CODE	COLOUR	AVAILABILITY				
9	WHITE	UL APPROVED - STANDARD				



PLATING OPTION

CODE	-		(CON	ΙТА	CT F	PLAT	ING		
0.6	G	OLD	PLAT	ING	ON	NOSE	WITH	TIN	ON	TAILS

SHEET 1 OF 10

2

3

ORW-106-01-0
History
History
HO2809
HO12801
HO2809



© COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION

N.C.H. 9159 THROUGH BOARD - ORDERING CODE 06-3an-12	Size CV	Part Number 00-9159-01_500S	13300
	N.C.H.		DATE 06-Jan-12

Α THROUGH THE BOARD MATING EDGE CARD CONNECTOR -6.50 10 1.80 TYP 00 9 0 2.00 TYP 0.60 TYP SECTION A-A -MARKER, POSITION I SLOT FOR 0.8mm PCB 00 -SLOT FOR 1.6mm PCB 4.00 2 5.00 6.00 Elco Europe (A Division of AVX Ltd) CONFIDENTIAL PROPRIETY The document on this print and information therewith are PROPRIETY TYP 6.20:0:20 to Elco Europe (A Division of AVX Ltd) and shall not be copied 0 or disclosed in whole or in part without Elco Euroipe's written consent 80.00 ID 0 3 MOUNTING PCB PACKING DETAILS (TOP SIDE) UNREELED NOTES:
1. THROUGH THE BOARD 2 WAY EDGE CARD CONNECTOR.
FOR FURTHER DETAILS REFER TO PRODUCT SPECIFICATION 201-01-136,

2. FOR MATING PCB EITHER 0.8mm OR 1.6mm THICK.
REFER TO SHEET 7 FOR MATING PCB DETAILS.

3. CONNECTOR TOP MOUNTING ON PCB.

4. UP TO 0.5mm RAD TO MATCH CONNECTOR PROFILE.

5. ALL DIMENSIONS ±0.20 UNLESS TOLERANCE SPECIFIED.

6. INSULATOR:- PA4T, GLASS FILLED, HALOGEN FREE, UL94 V-0,
COLOUR REFER TO SHEET 1.

7. CONTACT:- COPPER ALLOY, NICKEL PLATED WITH GOLD
FLASH ON NOSE AND TIN ON TAILS.

8. BRACKET:- COPPER ALLOY, PLATING, TIN OVER NICKEL.

9. PACKING IN TAPE AND REEL, 1000 PIECES PER REEL.

10. CONTACT TAILS COPLINARITY WITHIN 0.10.

11. REFER TO SHEET 10 FOR MATCHING PROTECTING CAP.

12. UL REFERENCE E90723. DIRECTION 330mm DIA REEL UNREELED DIRECTION 0000000000 000 REFERENCE E90723. QUANTITY PER REEL 1000 ELCO EUROPE (A DIVISION OF AVX.LTD.) CONFIDENTIAL PROPRIETARY
THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE
PROPRIETARY TO ELCO EUROPE (A DIVISION OF AVX.LTD.) AND
SHALL NOT BE USED OR DISCLOSED IN MINOLE OR IN PART
WITHOUT ELCO EUROPE'S NRITTEN CONSENT. 155 SHEET 2 OF 10 -950-10-901 9159 THROUGH BOARD -History No. 1 (1978) Drawn N.C.H DATE 06 - Jan - 12 (O) ORDERING CODE © COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION 00-9159-01_500S CV 6


A


2


3


4

В









Α THROUGH THE BOARD MATING EDGE CARD CONNECTOR - WITH CAP 00-9159-00x-502-x06 1.00 6.00 'AVX 00-9159-002-502-906 Elco Europe (A Division of AVX Ltd) CONFIDENTIAL PROPRIETY The document on this print and information therewith are PROPRIETY to Elco Europe (A Division of AVX Ltd) and shall not be copied or disclosed in whole or in part without Elco Euroipe's written consent. 8.00 | | 1.00 4.90 旧旧旧 AVX 00-9159-003-502-906 1.00 10.00 2 2 7.0 AVX 00-9159-004-502-906 12.00 1.00 00-9159-005-502-906 AVX 3 3 14,00 4.45 AVX 00-9159-006-502-906 NOTES:1. 00-9159-00X-501-X06 WITH CAP SUPPLIED FITTED.
2. DRAWINGS SHOW OUTLINE DIMENSIONS OF THE
00-9159-00X-502-X06 ASSEMBLIES, ALL OTHER DETAILS
ARE AS 00-9159-00X-501-X06 ON SHEETS 2 TO 6.
3. GENERAL TOLERANCE ±0.20.
4. PACKING ORIENTATION.
12. UL REFERENCE E90723. 0000000000000000 Š 4 **COMPLIANT** NOTE 4 ELCO EUROPE (A DIVISION OF AVX LTD.) CONFIDENTIAL PROPRIETARY
THE DRAWING ON THIS PRINI AND INFORMATION THEREWITH ARE
PROPRIETARY TO ELCO EUROPE (A DIVISION OF AVX LTD.) AND
SHALL NOT BE USED OR DISCLOSED IN WHOLE OR IN PART
WITHOUT ELCO EUROPE (S MRITTEN CONSENT. 155 0RM-106-01-056-6
Release No. 110.2809
10.2809
03.02-2012
08.03.2012
10.2879
14.05.2012
14.05.2012
15.06.2012
24.07.2012 SHEET 7 OF 10 Drawn N.C.H 9159 THROUGH BOARD -DATE 06 - Jan - 12 (0)[ORDERING CODE 3rd ANGLE ALL DIMENSIONS IN MILLIMETRES © COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION 6 CV. Part Number 00-9|59-0|_500S

A

В

Α THROUGH THE BOARD MATING EDGE CARD CONNECTOR - MATING PCB MATING PCB - 0.8mm PCB MATING PCB - 1.6mm PCB 12.80:8:38 0.80±0.20 11.80:0:00 .60±0.20 2.00 TYP 2.00 TYP 1.00 TYP 1,00 TYP 10.80:0.20 9.80-0:20 1.60±0.20 0.80±0.20 <u>2.00</u> TYP <u>.00 TYP</u> 1.00 TYP 2 2 8.80 -0.20 1.60±0.20 7.80:0:20 0.80±0.10 2.00 TYP 1.00 TYP 1.00 TYP 2.00 TYP 0.80±0.20 1.60±0.20 2.00 TYP 6.80:0:20 5.80:0:20 3 3 1.00 TYP 1.00 TYP 2.00 0.80±0.20 1.60±0.20 2.00 4.80 -0.20 3.80 -0:20 Elco Europe (A Division of AVX Ltd.) CONFIDENTIAL PROPRIETY
The document on this print and information therewith are PROPRIETY .00 TYP 1.00 TYP to Elco Europe (A Division of AVX Ltd) and shall not be copied or disclosed in whole or in part without Elco Euroipe's written consent NOTES:1. CORRECT DIMENSIONS FOR EITHER 0.80mm OR 1.60mm PCB THICKNESS MUST BE USED.
2. THICKNESS OF PCB INCLUDES ALL LAYERS INCLUDING COPPER AND PLATING.
3. PADS TO BE PLATED GOLD OVER NICKEL UNDERCOAT.
4. GENERAL TOLERANCE ±0.10 UNLESS STATED. 4 RoHS COMPLIANT ELCO EUROPE (A DIVISION OF AVX.LTD.) CONFIDENTIAL PROPRIETARY
THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE
PROPRIETARY TO ELCO EUROPE (A DIVISION OF AVX.LTD.) AND
SHALL NOT BE USED OR DISCLOSED IN MINOLE OR IN PART
WITHOUT ELCO EUROPE'S NRITTEN CONSENT. ORM-106-01-056-6
Release No. 11-02-80-9
Release No. 11-20-1
Releas SHEET 8 OF 10

3rd ANGLE ALL DIMENSIONS IN MILLIMETRES © COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION 6 00-9159-01_500S CV

Drawn N.C.H

(0)[

9159 THROUGH BOARD - ORDERING CODE

DATE 06 - Jan - 12



2

3

4

155


106-01-056-


THROUGH THE BOARD MATING EDGE CARD CONNECTOR

Elco Europe (A Division of AVX Ltd) CONFIDENTIAL PROPRIETY The document on this print and information therewith are PROPRIETY to Elco Europe (A Division of AVX Ltd) and shall not be copied or disclosed in whole or in part without Elco Euroipe's written consent

CONNECTOR/PCB ASSEMBLY 0.8mm MATING PCB NO CAP

CONNECTOR/PCB ASSEMBLY 1.6mm MATING PCB WITH CAP





- 2.

- ES:THROUGH THE BOARD EDGE CARD CONNECTOR.
 FOR MATING PCB EITHER 0.8mm OR 1.6mm THICK.
 REFER TO SHEET 7 FOR MATING PCB DETAILS.
 CONNECTOR TOP MOUNTING ON PCB.
 PAD DETAILS ON THE MATING PCB ALLOW CONTACT TO BE MADE IN ANY
 POSITION FROM THE STOP FACE UP TO Imm FROM THE STOP FACE.
 GENERAL TOLERANCE ±0.20 UNLESS STATED.

ELCO EUROPE (A DIVISION OF AVX LTD.) CONFIDENTIAL PROPRIETARY
THE DRAWING ON THIS PRINI AND INFORMATION THEREWITH ARE
PROPRIETARY TO ELCO EUROPE (A DIVISION OF AVX LTD.) AND
SHALL NOT BE USED OR DISCLOSED IN WHOLE OR IN PART
WITHOUT ELCO EUROPE (S MRITTEN CONSENT.

SHEET 9 OF 10 2

3

History No. 1 (1978)

(0)[

© COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION

Drawn N.C.H 9159 THROUGH BOARD -DATE 06 - Jan - 12 ORDERING CODE 6 00-9159-01_500S CV.

A

Α ACCESSORY - PROTECTING CAP

6.00

AVX

8.00

7.0


COMPLIANT

Elco Europe (A Division of AVX Ltd) CONFIDENTIAL PROPRIETY The document on this print and information therewith are PROPRIETY to Elco Europe (A Division of AVX Ltd) and shall not be copied or disclosed in whole or in part without Elco Euroipe's written consent.


2 WAY 60-9159-3502-09-000

70 AVX XVA 10.00


3 WAY 60-9159-3503-09-000



4 WAY 60-9159-3504-09-000



<u>5 WAY</u> 60-9159-350-09-000



6 WAY 60-9159-3506-09-000 2

3

10

2

3


4

155

- NOTES:1. PROTECTING CAP, ACCESSORY, NOT SUPPLIED WITH CONNECTOR.
 2. CLIPS TO TOP OF CONNECTOR TO COVER ALL METAL COMPONENTS.
 3. MATERIAL:- PA4T, GLASS FILLED, HALOGEN FREE, UL94 V-0, COLOUR CODE REFER TO SHEET I, "X" IN PART NUMBER.
 4. SUPPLIED IN BAGS OF 1000 PIECES.
 5. GENERAL TOLERANCE ±0.20.
 12. UL REFERENCE E90723.

AVX

12.00



ELCO EUROPE (A DIVISION OF AVX.LTD.) CONFIDENTIAL PROPRIETARY
THE DRAWING ON THIS PRINT AND INFORMATION THEREWITH ARE
PROPRIETARY TO ELCO EUROPE (A DIVISION OF AVX.LTD.) AND
SHALL NOT BE USED OR DISCLOSED IN MINOLE OR IN PART
WITHOUT ELCO EUROPE'S NRITTEN CONSENT.

SHEET IO OF

JRM-106-01-056-6-6

H 15 FO

H 16 FO

H 17 FO

H 17 FO

H 18 FO

H

(0)[

© COPYRIGHT ELCO EUROPE NOT TO BE DISCLOSED OR COPIED WITHOUT WRITTEN PERMISSION

9159 THROUGH BOARD -Drawn N.C.H DATE 06 - Jan - 12 ORDERING CODE 6 CV 00-9159-01_500S