PL Series 5 Tumbler Miniature Camlocks

Features/Benefits

- Cost-effective security
- Custom cams available

Typical Applications

- Office furniture
- Cash registers
- Copy machines



Specifications

INDEXING: 90°: 2 positions.

NOTE: Specifications and materials listed above are for camlocks with standard options. For information on specific and custom camlocks, consult Custome Service Center.

Materials

LOCK: 6/6 nylon (UL 94V-2). Color, black.


5 tumbler, single bitted lock with integral detent mechanism.

KEYS: Two nickel plated brass keys with black plastic insert molded

CAM: 6/6 nylon (UL 94V-2).

Build-A-Switch

To order, simply select desired option from each category and place in the appropriate box. Available options are shown and described on pages L-40 and L-41. For additional options not shown in catalog, consult Customer Service Center.












LOCK FUNCTION




LEGEND

- = Detent Position (90°)
- lacktriangle = Key pull possible in these positions.
- Stop Positions



TWO NICKEL PLATED BRASS KEYS WITH INSERT MOLDED PLASTIC HEAD




OPTION CODE	KEY COLOR
2	BLACK

Key part number: 617D1004102

NOTE: All orders keyed alike, standard. For more than one key code, replacement keys, or other special features, consult Customer Service Center.



B 5 TUMBLER LOCK WITH DETENT



OPTION CODE	LOCK COLOR
2	BLACK

LOCK FINISH

M PLASTIC LOCK WITH MATTE FINISH






Dimensions are shown: Inch (mm) Specifications and dimensions subject to change



CAM ---

A1 .625"




NOTE: Cam not assembled to switch. Other cam lengths and styles available, consult Customer Service Center.

LOCK STYLE

CONE SHAPED FACING





.165 (4,19) .625 DIA (15,87%)

Panel thickness: .050-.080 (1,27-2,03)

AVAILABLE HARDWARE



Key Code: 041 PART NO. (ONE KEY)

617D1004102 BLACK

Material: Brass Finish: Nickel plate 6/6 Nylon insert molded head









