


NOTES:

- 1.0 ELECTRICAL SPECIFICATIONS
  - 1.1 FREQUENCY RANGE: DC to 12.4 GHz
  - 1.2 MAXIMUM INPUT POWER:
    - AT +25°C: 2 WATTS
    - AT +125°C: 0.5 WATTS
  - 1.3 OPERATING TEMPERATURE RANGE:
    - 55°C to +125°C
  - 1.4 IMPEDANCE: 50 OHMS
  - 1.5 MAXIMUM VSWR:
    - DC to 4.0 GHz: 1.07:1
    - 4.0 to 12.4 GHz: 1.12:1
- 2.0 MARK UNIT AS SHOWN.  
(REF.: INK-02611-27-03)
- 3.0 DIMENSIONS IN PARENTHESIS ARE MILLIMETERS.



DWG NO. WAS: 02353-01-00

REV.	DESCRIPTION	DATE
-	RELEASED	3/21/79
A	ECR 6545	6/27/89
A1	REDRAW ON CAD - UPDATE MARKING. ADD SPECS.	3/30/92
B	ECN 13033	10/18/93
C	ECN 13622	5/16/94
C1	ADDED TITLEBLOCK	10/26/05

UNLESS OTHERWISE NOTED DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:  3 PLACE DECIMALS ±.005 2 PLACE DECIMALS ±.02 FRACTIONS ±1/64 PARALLELITY: T.I.R. _____ FLATNESS: T.I.R. _____ CONCENTRICITY: T.I.R. _____ ANGLES AND PERPENDICULARITY: ±1°	FSCM NO. <b>34078</b>	<b>MIDWEST MICROWAVE</b>		
	NOTICE: The information contained in this drawing is proprietary and must not be used without the permission of Midwest Microwave		TITLE TERMINATION	
	DRAWN/DATE A.BEATTY 3/30/92	ENG./DATE G.KOZAK 4/1/92	DRAWING NUMBER TRM-2053-FO-NNN-02	
	CHECKED/DATE	APPROVED/DATE	SCALE: 3=1	SHEET 1 of 1

MODEL NUMBER  
TRM-2053-FO-NNN-02

REV.  
C1