
SERPAC 223i (3D exploded)

-Click on image to show toolbar. Use II to Play/Pause Animation. -Left click and drag on image to move 3D model.



a) Zoom in & out with center wheel.

b) Pause at any moment to view and or print views.

c) Change the views to ortho and section views if needed from the Views pull down menu.

d) Explore options included in the tool bar like: Views, Transparency of model, Lighting type, etc.

NO. 2-3i TOP PART DESCRIPTION NO. BOTTOM 319 22 Prototype grid board (Bottom) Battery Cover Prototype clad board (Bottom)

ACCSESSORIES (Optional)

PART

6005

DESCRIPTION (Included)

#4X3/8" Self tapping (2)

(Enclosure weight 0.21 lb / 98 gm) 1) Enclosure meets or exceeds IP40 and NEMA 1

2) Top Circuit Board drawings can be download at:

http://www.serpac.com/Products/Accessories/CircuitBoard/drawings/CB_12X.pdf 3) All components are RoHS Compliant.

ALL DIMENSIONS ARE ± .010" 4/12/10 (1 of 2) 619 Commercial Ave. Covina, CA 91723 Ph. (626) 331-0517 Fx. (626) 331-8584 serpac.com

SERPAC 223 i (user print) Battery 2.50 compartment 2.60 cover .70 .02 -3.62 Insert Area .50 4.10 Ø.25 2 plc's 1.63 1.25 .04 X .02 deep → Insert Area 1.85 Insert Area Insert Area Insert Area Non-textured .015" recessed Insert Area typ. for .015 recessed #4 screw Ø.26 .10 4 plc's typ. 2 plc's TOP 1.28 **BOTTOM** 2.81 **SECTION A-A** SCALE 1: 1.5 DESCRIPTION (Included) ACCSESSORIES (Optional) \emptyset .32 Notes: (Enclosure weight 0.21 lb / 98 gm) 1) Enclosure meets or exceeds IP40 and NEMA 1 PART DESCRIPTION 2 plc's Ø.25 NO. 8 plc's 2) Top Circuit Board drawings can be download at: 22 BOTTOM 319 Prototype grid board (Bottom) Battery Cover 419 Prototype clad board (Bottom) ALL DIMENSIONS ARE ± .010" 4/12/10 (2 of 2) 619 Commercial Ave. Covina, CA 91723 http://www.serpac.com/Products/Accessories/CircuitBoard/drawings/CB_12X.pdf #4X3/8" self tapping (2)

Ph. (626) 331-0517 Fx. (626) 331-8584 www.serpac.com

3) All components are RoHS Compliant.