
KEMET Part Number: PFR5471H100J11L4BULK

(F411JH471H100C)



Capacitor, Film, Film-Foil Polypropylene, 470 pF, +/-2.5% Tol, -55/+100C, General Purpose, 100 VDC@85C, Lead Spacing=5 mm



Supplier: KEMET Dielectric: Film-Foil Polypropylene Application: General Purpose	General Information		
Application: General Purpose	Supplier:	KEMET	
··	Dielectric:	Film-Foil Polypropylene	
Sub Applications DC or AC applications	Application:	General Purpose	
Sub Application. Do of Ac applications	Sub Application:	DC or AC applications	
Style: Radial Box	Style:	Radial Box	
Lead Form: Wire Leads	Lead Form:	Wire Leads	
Features: Pulse	Features:	Pulse	
RoHS: Yes	RoHS:	Yes	

Dimensions (mm)			
Symbol	Dimension	Tolerance	
L	7.2	MAX	
Н	6	MAX	
Т	4.5	MAX	
S	5	-0.4	
LL	4	+1	
G	0.5	NOM	
F	0.5	+/-0.05	

Specifications		
Capacitance:	470 pF	
Voltage:	100 VDC	
Tolerance:	+/-2.5%	
Voltage AC:	63 VAC	
Rated Temperature:	85C	
Temperature Range:	-55/+100C	
Dissipation Factor @ 1 kHz:	0.04%	
Dissipation Factor @ 10 kHz:	0.04%	
Dissipation Factor @ 100kHz:	0.05%	
Insulation Resistance:	63829.79 GOhm	
Inductance:	6	
Maximum dVdT:	1000 v/us	
Miscellaneous:	An Operating Temperature Up To +105C Is Allowed Under Certain Conditions. Please Consult Kemet For Details.	

Packaging Specifications		
Package Kind:	Bulk	
Package Quantity:	1000	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.

