



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

Model #: P710-006

**6-ft. IEEE 1284 AA Straight-Through Cable (DB25 M/M)**

**Highlights**

- IEEE rated to support IEEE 1284 compatible auto switches
- Fully shielded against EMI/RFI interference



**Description**

Tripp Lite's 6-ft. IEEE 1284 straight through cable connects a computer to a manual or automatic switchbox. It supports high-speed IEEE 1284 bi-directional communication. The cable features nickel plated DB25 male/male connectors and gold plated copper contacts for superior conductivity. It is manufactured from superior molded cable with integral strain relief and double shielding for maximum EMI/RFI protection. It contains low-capacitance, impedance matched, twisted-pair conductors that protect against cross-talk and other transmission problems.

**System Requirements**

- Computer with a parallel port DB25 Female
- Parallel device or switchbox with a DB25 Female port requiring IEEE communication

**Package Includes**

- 6-ft. IEEE 1284 AA Straight Thru Parallel Cable DB25M to DB25M

**Features**

- Connects a computer to a manual or automatic switchbox
- Supports high-speed IEEE 1284 bi-directional communication (modes: standard compatible nibble byte ECP and EPP)
- Length: 6-ft. Connectors: DB25 male/male
- Nickel plated connectors and gold plated copper contacts offer superior conductivity
- Superior molded cable with integral strain relief and double shielding (foil and braid) for maximum EMI/RFI protection
- Low-capacitance impedance matched twisted-pair conductors protect against cross-talk and other transmission problems
- 25 conductor (direct wired)
- Molded ends with easy-grip textured overmold

**Specifications**

OVERVIEW	
Cable Type	PRINTER
INPUT	
Cable Length (ft.)	6

<b>Cable Length (m)</b>	1.83
<b>UPC Codes</b>	
<b>Unit Carton UPC#</b>	037332014436
<b>CONNECTIONS</b>	
<b>Connector A</b>	 DB25 (MALE)
<b>Connector B</b>	 DB25 (MALE)
<b>WARRANTY</b>	
<b>Product Warranty Period (Worldwide)</b>	Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">B170-002-R</a>	IEEE Rev 2 Pos Autoswitch - 3xDB25F	1
<a href="#">DB25-PAR</a>	Network Surge Suppressor - Essential protection for data and communication lines	1
<a href="#">P606-015</a>	15-ft. IEEE 1284 AB Parallel Gold Cable (DB25M to Cen36M)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?variables.txtModelID=2309](http://www.tripplite.com/en/products/model.cfm?variables.txtModelID=2309).

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.