



PART NUMBER 10106263-B006001LF



Copyright FCI.

spec ref	*	dr	Peng-Bing Fu	2012/02/23	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2015/09/24			ecn no	ELX-DG-21977-1			
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/09/25			product family	PwrBlade+	rel level	Released	
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2015/09/25			dwg no	10106263-B006001		rev	C
ASME Y14.5	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10 0° ±2°	www.fci.com		cat. no.	3ACP + 8HP + 24S RA PRESS-FIT HEADER		Product - Customer Drw		sheet 1 of 3		

PRODUCT NO.	ROWS	HIGH POWER											SIGNAL								
		E1	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	1	2	3	4	5	6	E2	
10106263-B006001LF	DCBA	HA	HE	HE	LD																
														SC							
														SB							
														SA							



CODE	DESCRIPTION
HA	METAL HOLD DOWN
HE	STD HIGH POWER CONTACT (3.05)
LB	LMFB SIGNAL CONTACT, ROW B (3.05)
LC	LMFB SIGNAL CONTACT, ROW C (3.05)
LD	LMFB SIGNAL CONTACT, ROW D (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Peng-Bing Fu	2012/02/23	projection	MM	size	A3	scale	3:2	
eng	Rainbow Zhan	2015/09/24			ecn no	ELX-DG-21977-1	rel level	Released	
chr	Fancy Zhang	2015/09/25							
appr	Pei-Ming Zheng	2015/09/25	product family	PwrBlade+					
			3ACP + 8HP + 24S			dwg no		10106263-B006001	
www.fci.com			RA PRESS-FIT HEADER			rev		C	
cat. no.			Product - Customer Drw			sheet 2 of 3			



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- △ 9) A △ B SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION



Copyright FCI.

dr	Peng-Bing Fu	2012/02/23	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2015/09/24			ecn no	ELX-DG-21977-1		
chr	Fancy Zhang	2015/09/25			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/09/25						
		title 3ACP + 8HP + 24S RA PRESS-FIT HEADER			dwg no 10106263-B006001	rev C		
www.fci.com		cat. no.	Product - Customer Drw			sheet 3 of 3		