



NOTES:

I) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2) MATERIALS:

- -HOUSING GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-O.
- -SIGNAL CONTACT COPPER ALLOY.
- -POWER CONTACT HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) I.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 \pm 0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658. APPLICATION SPECIFICATION REFER TO FCI GS-20-141. PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.

dr Eddy Zeng 2014/01/20 projection scale size MMA 3 e n g Eddy Zeng 3:2 2014/03/20 chr Li-He 2014/03/19 ecn no appr Pei-Ming Zheng 2014/03/20 product family PwrBlade+ rel level Released 4HP +24S 10106137-4006001 VERTICAL PF HEADER www.fci.com cat. no. Product - Customer Drw sheet 3 of 3

Pro/E File - REV C - 2009-06-09

PDS: Rev :A

STATUS:Released

Printed: Apr 01, 2014