


| | | | | | |
|---|--|---------------------------|------|---|------|
| FIRST ANGLE PROJECTION | | REVISE ONLY ON CAD SYSTEM | | SH. | REV. |
| UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2° | | DRWG BY | SIGN | CAD/CAM PROJECT NAME | |
| INCH METRIC | | KN | | 85048000 841 | |
| 3 PLACE ± ± | | CHK'D BY | SIGN | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | |
| 2 PLACE ± ± | | Ca | | TITLE | |
| 1 PLACE ± ± | | APP'D BY | SIGN | 24 pol. Federleiste 24 pos. female connector DIN 41612, style M | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | JB | | MOLEX EUROPE | |
| DESIGN DIMENSION <input checked="" type="checkbox"/> MM | | SCALE | | SHEET NO. DATE | |
| EQUIVALENT DIMENSION <input type="checkbox"/> IN. | | 2:1 | | 1 OF 1 97/04/14 | |
| FOR PREVIOUS REVISIONS SEE MRI LIST | | | | PART NO. DWG NO. | |
| IF TWO DIMENSIONS ARE SHOWN THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY | | | | SD-85048-0004 | |

| | |
|----------|---------------|
| ECN 2478 | first release |
| LTR | REVISIONS |

5 4 3 2

View on mating side



1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16

A = 16 standard contacts L=4,5

| | |
|-------------------|---|
| Marking | Standard |
| Performance level | G1/0 = Contact area level I / Termination tin |
| Flux proof | no |
| Fixing clip | no |
| Dimensions | SD-85048-0004 sht.1 |
| Technical Data | PS-85042-0001 |

| | | | |
|----------------|----------------|-------------------------|--------|
| | | | |
| A | G1/0 | a13-20 | c13-20 |
| Contact symbol | Perform. level | Contact position number | |

| | | | | | | | | | | | |
|--|------------------|-------|-------------------------------------|------------|---|---------------|----------|--------|---|----------|----------------|
| ECN 2478 first release | REVISIONS | | FOR PREVIOUS REVISIONS SEE MRI LIST | | UNLESS OTHERWISE SPECIFIED TOLERANCES: ANGULAR ±2° INCH METRIC | | DRWG BY | SIGN | REVISE ONLY ON CAD SYSTEM | | SH. REV. |
| | 3 PLACE ± • ± | | 3 PLACE ± • ± | | 3 PLACE ± • ± | | KN | | CAD/CAM PROJECT NAME | | |
| LTR | DESIGN DIMENSION | | EQUIVALENT DIMENSION | | DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | CHK'D BY | SIGN | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. & SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | |
| | □ MM □ IN. | | □ MM □ IN. | | □ MM □ IN. | | Ca | | TITLE | | |
| A | 1 PLACE ± • ± | | 1 PLACE ± • ± | | 1 PLACE ± • ± | | APP'D BY | SIGN | 24 pos. female connector acc. DIN 41612, style M contacts arrangement | | |
| | □ MM □ IN. | | □ MM □ IN. | | □ MM □ IN. | | JB | | molex MOLEX EUROPE | | SHEET NO. DATE |
| IF TWO DIMENSIONS ARE SHOWN, THE UPPER IS THE DESIGN DIMENSION, LOWER IS SECONDARY | | SCALE | | PART NO. | | DWG NO. | | SIZE | | | |
| | | | | 85048-1263 | | SD-85048-1263 | | 1 OF 1 | | 97/05/28 | |
| | | | | 3 | | 2 | | | | | |